

Problem Session 10: Virtual Memory

SOLUTION


Wednesday, April 7, 2021

1. Assume you are working on a system with 16-bit virtual addresses, 14-bit physical addresses, and 1024 byte pages.

- (a) Draw a diagram that depicts the bits of the virtual address and indicate (by labeling the diagram) the bits that would correspond to the virtual page number and to the virtual page offset.



- (b) Draw a diagram that depicts the bits of the physical address and indicate (by labeling the diagram) the bits that would correspond to the physical frame number and the physical frame offset.



2. Assume that you are running on the system described in Problem 1 and the current page table state is as follows (note that all numbers are in hex):

Page Table					
VPN	PFN	Valid	VPN	PFN	Valid
00	NULL	0	10	0	1
01	5	1	11	E	1
02	7	1	12	9	0
03	9	0	13	7	1
04	F	1	14	D	1
05	3	1	15	5	0
06	B	0	16	E	1
07	D	1	17	6	0
08	7	1	18	1	0
09	C	0	19	E	1
0A	NULL	0	1A	8	1
0B	1	1	1B	NULL	0
0C	0	1	1C	NULL	0
0D	D	0	1D	2	1
0E	0	0	1E	7	0
0F	6	0	1F	3	0

For the given virtual addresses, indicate the virtual page number (VPN) and offset (VPO). Then determine whether a page fault occurs (Y/N). If there is no page fault, specify the corresponding physical frame number (PFN) and physical address.

Virtual Address	VPN	VPO	Page Fault?	PFN	Physical Address
0x6A47	1A	247	No	8	2247
0x3442	0D	042	Yes		

3. Assume that this system also has a 4-way set associative TLB with 16 total entries. Modify your solution to Problem 1 to indicate which bits correspond to the TLB tag and which bits correspond to the TLB index.

The last two bits of the page number of the TLBI. The high-order four bits of the page number are the TLBT.

4. Assume that the contents of the TLB are as shown below, and the first 32 pages of the page table are depicted in Problem 2.

TLB												
Index	Tag	PFN	Valid									
0	8	7	1	F	6	1	0	3	0	1	5	1
1	1	1	1	2	7	0	7	3	0	4	E	1
2	0	0	0	C	1	0	F	8	1	7	6	1
3	8	4	0	3	5	0	0	D	1	2	9	0

For the given virtual addresses, indicate the virtual page number (VPN), TLB index (TLBI), and TLB tag (TLBT). Then indicate whether the TLB hits (Y/N) and whether there is a page fault. If there is a page fault, leave the physical address blank. Assume that all numbers are given in hex.

Virtual Address	VPN	TLBI	TLBT	TLB Hit?	Page Fault?	PFN	Physical Address
0x2F09	0B	3	2	N	N	1	0709
0x4747	11	1	4	Y	N	E	3B47