

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Name: \_\_\_\_\_

## Algorithms, Running Time of Sets and Lists

Consider the following function:

```
def count_duplicates(small_list, big_container):  
    """Count the number of items in small_list that  
    also appear in big_container."""  
  
    total_duplicates = 0  
  
    for item in small_list:  
        if item in big_container:  
            total_duplicates += 1  
  
    return total_duplicates
```

Consider the two following uses of the `count_duplicates` function (`r()` is a function that returns a random integer and `m` and `n` are the lengths of the two data structures where `m` is much smaller than `n`).

```
small_list = [r() for _ in range(m)]  
big_list = [r() for _ in range(n)]  
big_set = set(big_list) # Convert the list to a set (hash table)  
  
# Run the function with a list  
list_total = count_duplicates(small_list, big_list)  
  
# Run the function with a set  
set_total = count_duplicates(small_list, big_set)
```

The only differences between these two uses of the `count_duplicates` function is in the creation of the second argument (`big_list` vs `big_set`). The variable `big_list` is a **list** and the variable `big_set` is a **set** (a hash table type data structure).

Answer the following questions while paying particular attention to the **if statement** in the `count_duplicates` function.

- (a) How do you check if an object exists in an unsorted **list**, and what is the asymptotic running time?
- (b) How do you check if an object exists in a **set** (hash table), and what is the asymptotic running time?
- (c) What is the asymptotic running time of `count_duplicates` when it is called with a **list**?
- (d) What is the asymptotic running time of `count_duplicates` when it is called with a **set**?
- (e) Do you expect the function to run faster the first time or the second time?