

FEATURE PRE-PROCESSING

David Kauchak
CS 158 – Spring 2022

1

Admin

Assignment 1 graded

Sakai submission??

Assignment 2

- ▣ This class will make you a better programmer!
- ▣ How did it go?
- ▣ How much time did you spend?

Assignment 3 out

- ▣ Implement perceptron variants
- ▣ See how they differ in performance

2

Assignment 2 experiments

How good was the decision tree?

How deep did it need to be?

Overfitting?

Training data size?

3

Features

Terrain	Unicycle-type	Weather	Go-For-Ride?
Trail	Normal	Rainy	NO
Road	Normal	Sunny	YES
Trail	Mountain	Sunny	YES
Road	Mountain	Rainy	YES
Trail	Normal	Snowy	NO
Road	Normal	Rainy	YES
Road	Mountain	Snowy	YES
Trail	Normal	Sunny	NO
Road	Normal	Snowy	NO
Trail	Mountain	Snowy	YES

Where do they come from?

4

UCI Machine Learning Repository



<http://archive.ics.uci.edu/ml/datasets.html>

5

Provided features

Predicting the age of abalone from physical measurements

Name / Data Type / Measurement Unit / Description

 Sex / nominal / -- / M, F, and I (infant)
 Length / continuous / mm / Longest shell measurement
 Diameter / continuous / mm / perpendicular to length
 Height / continuous / mm / with meat in shell
 Whole weight / continuous / grams / whole abalone
 Shucked weight / continuous / grams / weight of meat
 Viscera weight / continuous / grams / gut weight (after bleeding)
 Shell weight / continuous / grams / after being dried
 Rings / integer / -- / +1.5 gives the age in years



6

Provided features

Predicting breast cancer recurrence

1. Class: no-recurrence-events, recurrence-events
2. age: 10-19, 20-29, 30-39, 40-49, 50-59, 60-69, 70-79, 80-89, 90-99.
3. menopause: lt40, ge40, premeno.
4. tumor-size: 0-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59.
5. inv-nodes: 0-2, 3-5, 6-8, 9-11, 12-14, 15-17, 18-20, 21-23, 24-26, 27-29, 30-32, 33-35, 36-39.
6. node-caps: yes, no.
7. deg-malig: 1, 2, 3.
8. breast: left, right.
9. breast-quad: left-up, left-low, right-up, right-low, central.
10. irradiated: yes, no.

7

Provided features

In many physical domains (e.g. biology, medicine, chemistry, engineering, etc.)

- ▣ the data has been collected and the *relevant* features have been identified
- ▣ we cannot collect more features from the examples (at least "core" features)

In these domains, we can often just use the provided features

8

Raw data vs. features

In other domains, we are provided with the raw data, but must extract/identify features

For example

- ▣ image data
- ▣ text data
- ▣ audio data
- ▣ log data
- ▣ ...


9

How is an image represented?



10


How is an image represented?



- images are made up of pixels
- for a color image, each pixel corresponds to an RGB value (i.e. three numbers)

11

Image features




for each pixel: R[0-255]
G[0-255]
B[0-255]

Do we retain all the information in the original document?

12

Image features




for each pixel: R[0-255]
G[0-255]
B[0-255]

Other features for images?

13

Lots of image features

- Use “patches” rather than pixels (sort of like “bigrams” for text)
- Different color representations (i.e. L*A*B*)
- Texture features, i.e. responses to filters



- Shape features
- ...

14

Obtaining features

Very often requires some domain knowledge

As ML algorithm developers, we often have to trust the “experts” to identify and extract reasonable features

That said, it can be helpful to understand where the features are coming from

15

Current learning model

training data (labeled examples)


1	cat	0.9
2	dog	0.8
3	bird	0.7
4	fish	0.6
5	insect	0.5
6	plant	0.4
7	rock	0.3
8	water	0.2
9	fire	0.1

learn

model/
classifier


16

Pre-process training data




17

Outlier detection




18

Outlier detection




19

Outlier detection



20

Outlier detection



An example that is inconsistent with the other examples

- extreme feature values in one or more dimensions
- examples with the same feature values but different labels

Fix?

21

Removing conflicting examples


Identify examples that have the same features, but differing values

- For some learning algorithms, these examples can cause issues (for example, not converging)
- In general, unsatisfying from a learning perspective

Can be a bit expensive computationally (examining all pairs), though faster approaches are available

22

Outlier detection



An example that is inconsistent with the other examples

- extreme feature values in one or more dimensions
- examples with the same feature values but different labels

How do we identify these?

23

Removing extreme outliers

Throw out examples that have extreme values in one dimension

Throw out examples that are very far away from any other example

Train a probabilistic model on the data and throw out "very unlikely" examples

This is an entire field of study by itself! Often called outlier or anomaly detection.

24

Quick statistics recap

What are the mean, standard deviation, and variance of data?

25

Quick statistics recap

mean: average value, often written as μ

variance: a measure of how much variation there is in the data. Calculated as:


$$\sigma^2 = \frac{\sum_{i=1}^n (x_i - \mu)^2}{n-1}$$

standard deviation: square root of the variance (written as σ)

How can these help us with outliers?

26

Outlier detection




If we know the data is distributed normally (i.e. via a normal/gaussian distribution)

27

Outliers in a single dimension

Examples in a single dimension that have values greater than $|k\sigma|$ can be discarded (for $k \gg 3$)

Even if the data isn't actually distributed normally, this is still often reasonable



28

Outliers for machine learning

Some good practices:

- Throw out conflicting examples
- Throw out any examples with obviously extreme feature values (i.e. many, many standard deviations away)
- Check for erroneous feature values (e.g. negative values for a feature that can only be positive)
- Let the learning algorithm/other pre-processing handle the rest

29

So far...

1. Throw out outlier examples
2. Which features to use

30

Feature pruning/selection

Good features provide us with information that helps us distinguish between labels. However, not all features are good

Feature pruning is the process of removing “bad” features

Feature selection is the process of selecting “good” features

What makes a bad feature and why would we have them in our data?

31

Bad features

Each of you are going to generate a feature for our data set: pick 5 random binary numbers

f_1 f_2 ...

label

I've already labeled these examples and I have two features

32

Bad features

<p>label</p> <p>1</p> <p>0</p> <p>1</p> <p>1</p> <p>0</p>	<p style="color: red;">If we have a "random" feature, i.e. a feature with random binary values, what is the probability that our feature perfectly predicts the label?</p>
---	--

33

Bad features

<p>label</p> <p>1</p> <p>0</p> <p>1</p> <p>1</p> <p>0</p>	<p>f_i</p> <p>1</p> <p>0</p> <p>1</p> <p>1</p> <p>0</p>	<p>probability</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p>	<p style="color: red;">Is that the only way to get perfect prediction?</p>
---	--	---	--

$0.5^5 = 0.03125 = 1/32$

34

Bad features

<p>label</p> <p>1</p> <p>0</p> <p>1</p> <p>1</p> <p>0</p>	<p>f_i</p> <p>0</p> <p>1</p> <p>0</p> <p>0</p> <p>1</p>	<p>probability</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p>	<p>Total = $1/32 + 1/32 = 1/16$</p> <p style="color: red;">Why is this a problem?</p> <p style="color: blue;">Although these features perfectly correlate/predict the training data, they will generally NOT have any predictive power on the test set!</p>
---	--	---	--

$0.5^5 = 0.03125 = 1/32$

35

Bad features

<p>label</p> <p>1</p> <p>0</p> <p>1</p> <p>1</p> <p>0</p>	<p>f_i</p> <p>0</p> <p>1</p> <p>0</p> <p>0</p> <p>1</p>	<p>probability</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p> <p>0.5</p>	<p>Total = $1/32 + 1/32 = 1/16$</p> <p style="color: red;">Is perfect correlation the only thing we need to worry about for random features?</p>
---	--	---	---

$0.5^5 = 0.03125 = 1/32$

36

Bad features

label	f_i
1	1
0	0
1	1
1	0
0	0

Any correlation (particularly any strong correlation) can affect performance!

37

Noisy features

Adding features **can** give us more information, but not always


Determining if a feature is useful can be challenging

Terrain	Unicycle-type	Weather	Jacket	ML grade	Go-For-Ride?
Trail	Mountain	Rainy	Heavy	D	YES
Trail	Mountain	Sunny	Light	C-	YES
Road	Mountain	Snowy	Light	B	YES
Road	Mountain	Sunny	Heavy	A	YES
Trail	Normal	Snowy	Light	D+	NO
Trail	Normal	Rainy	Heavy	B-	NO
Road	Normal	Snowy	Heavy	C+	YES
Road	Normal	Sunny	Light	A-	NO
Trail	Normal	Sunny	Heavy	B+	NO
Trail	Normal	Snowy	Light	F	NO
Trail	Normal	Rainy	Light	C	YES

38

Noisy features

These can be particularly problematic in problem areas where we automatically generate features



39

Noisy features

Ideas for removing noisy/random features?

Terrain	Unicycle-type	Weather	Jacket	ML grade	Go-For-Ride?
Trail	Mountain	Rainy	Heavy	D	YES
Trail	Mountain	Sunny	Light	C-	YES
Road	Mountain	Snowy	Light	B	YES
Road	Mountain	Sunny	Heavy	A	YES
Trail	Normal	Snowy	Light	D+	NO
Trail	Normal	Rainy	Heavy	B-	NO
Road	Normal	Snowy	Heavy	C+	YES
Road	Normal	Sunny	Light	A-	NO
Trail	Normal	Sunny	Heavy	B+	NO
Trail	Normal	Snowy	Light	F	NO
Trail	Normal	Rainy	Light	C	YES

40

Removing noisy features

The expensive way:

- Split training data into train/dev
- Train a model on all features
- for each feature f:
 - Train a model on all features *minus* f
 - Compare performance of all vs. all-f on dev set
- Remove all features where decrease in performance between all and all-f is less than some constant

Feature ablation study

Issues/concerns?

41

Removing noisy features

Binary features:

remove "rare" features, i.e. features that only occur (or don't occur) a very small number of times

Real-valued features:

remove features that have low variance

In both cases, can either use thresholds, throw away lowest x%, use development data, etc.

Why?

42

Some rules of thumb for the number of features

Be very careful in domains where:

- the number of features $>$ number of examples
- the number of features \approx number of examples
- the features are generated automatically
- there is a chance of "random" features

In most of these cases, features should be removed based on some domain knowledge (i.e. problem-specific knowledge)

43

So far...

1. Throw out outlier examples
2. Remove noisy features
3. Pick "good" features

44

Feature selection

Let's look at the problem from the other direction, that is, selecting good features.

What are good features?

How can we pick/select them?

45

Good features

A good feature correlates well with the label

label

1	1	0	1
0	0	1	1
1	1	0	1
1	1	0	1
0	0	1	0

How can we identify this?

- training error (like for DT)
- correlation model
- statistical test
- probabilistic test
- ...

46

Training error feature selection

- for each feature f :
 - calculate the training error if only feature f were used to pick the label
- rank each feature by this value
- pick top k , top $x\%$, etc.
 - can use a development set to help pick k or x

47

So far...

1. Throw out outlier examples
2. Remove noisy features
3. Pick "good" features

48

Feature normalization

Length	Weight	Color	Label	Length	Weight	Color	Label
4	4	0	Apple	40	4	0	Apple
5	5	1	Apple	50	5	1	Apple
7	6	1	Banana	70	6	1	Banana
4	3	0	Apple	40	3	0	Apple
6	7	1	Banana	60	7	1	Banana
5	8	1	Banana	50	8	1	Banana
5	6	1	Apple	50	6	1	Apple

Would our three classifiers (DT, k-NN and perceptron) learn the same models on these two data sets?

49

Feature normalization

Length	Weight	Color	Label	Length	Weight	Color	Label
4	4	0	Apple	40	4	0	Apple
5	5	1	Apple	50	5	1	Apple
7	6	1	Banana	70	6	1	Banana
4	3	0	Apple	40	3	0	Apple
6	7	1	Banana	60	7	1	Banana
5	8	1	Banana	50	8	1	Banana
5	6	1	Apple	50	6	1	Apple

Decision trees don't care about scale, so they'd learn the same tree

50

Feature normalization

Length	Weight	Color	Label	Length	Weight	Color	Label
4	4	0	Apple	40	4	0	Apple
5	5	1	Apple	50	5	1	Apple
7	6	1	Banana	70	6	1	Banana
4	3	0	Apple	40	3	0	Apple
6	7	1	Banana	60	7	1	Banana
5	8	1	Banana	50	8	1	Banana
5	6	1	Apple	50	6	1	Apple

k-NN: NO! The distances are biased based on feature magnitude.

$$D(a, b) = \sqrt{(a_1 - b_1)^2 + (a_2 - b_2)^2 + \dots + (a_n - b_n)^2}$$

51

Feature normalization

Length	Weight	Label
4	4	Apple
7	5	Apple
5	8	Banana

Which of the two examples are closest to the first?

Length	Weight	Label
40	4	Apple
70	5	Apple
50	8	Banana

$$D(a, b) = \sqrt{(a_1 - b_1)^2 + (a_2 - b_2)^2 + \dots + (a_n - b_n)^2}$$

52

Feature normalization

Length	Weight	Label	
4	4	Apple	
7	5	Apple	$D = \sqrt{(7-4)^2 + (5-4)^2} = \sqrt{10}$
5	8	Banana	$D = \sqrt{(5-4)^2 + (8-4)^2} = \sqrt{17}$

Length	Weight	Label	
40	4	Apple	
70	5	Apple	$D = \sqrt{(70-40)^2 + (5-4)^2} = \sqrt{901}$
50	8	Banana	$D = \sqrt{(70-50)^2 + (8-4)^2} = \sqrt{416}$

$$D(a,b) = \sqrt{(a_1 - b_1)^2 + (a_2 - b_2)^2 + \dots + (a_n - b_n)^2}$$

53

Feature normalization

Length	Weight	Color	Label		Length	Weight	Color	Label
4	4	0	Apple		40	4	0	Apple
5	5	1	Apple		50	5	1	Apple
7	6	1	Banana		70	6	1	Banana
4	3	0	Apple		40	3	0	Apple
6	7	1	Banana		60	7	1	Banana
5	8	1	Banana		50	8	1	Banana
5	6	1	Apple		50	6	1	Apple

$w_i = w_i + f_i * \text{label}$

perceptron: NO!
 The classification and weight update are based on the magnitude of the feature value


54

Geometric view of perceptron update

for each w_i :

$$w_i = w_i + f_i * \text{label}$$

Geometrically, the perceptron update rule is equivalent to "adding" the weight vector and the feature vector




55

Geometric view of perceptron update

for each w_i :

$$w_i = w_i + f_i * \text{label}$$

Geometrically, the perceptron update rule is equivalent to "adding" the weight vector and the feature vector



56

Geometric view of perceptron update

If the features dimensions differ in scale, it can bias the update

same f1 value, but larger f2

57

Geometric view of perceptron update

If the features dimensions differ in scale, it can bias the update

- different separating hyperplanes
- the larger dimension becomes much more important

58

Feature normalization

Length	Weight	Color	Label
4	4	0	Apple
5	5	1	Apple
7	6	1	Banana
4	3	0	Apple
6	7	1	Banana
5	8	1	Banana
5	6	1	Apple

Length	Weight	Color	Label
40	4	0	Apple
50	5	1	Apple
70	6	1	Banana
40	3	0	Apple
60	7	1	Banana
50	8	1	Banana
50	6	1	Apple

How do we fix this?

59

Feature normalization

Length	Weight	Color	Label
40	4	0	Apple
50	5	1	Apple
70	6	1	Banana
40	3	0	Apple
60	7	1	Banana
50	8	1	Banana
50	6	1	Apple

Modify all values for a given feature

60

Normalize each feature

For each feature (over all examples):

Center: adjust the values so that the mean of that feature is 0. **How do we do this?**

61

Normalize each feature

For each feature (over all examples):

Center: adjust the values so that the mean of that feature is 0: subtract the mean from all values

Rescale/adjust feature values to avoid magnitude bias. **Ideas?**

62

Normalize each feature

For each feature (over all examples):

Center: adjust the values so that the mean of that feature is 0: subtract the mean from all values

Rescale/adjust feature values to avoid magnitude bias:

- ▣ **Variance scaling:** divide each value by the std dev
- ▣ **Absolute scaling:** divide each value by the largest value

Pros/cons of either scaling technique?

63

So far...

1. Throw out outlier examples
2. Remove noisy features
3. Pick "good" features
4. Normalize feature values
 1. center data
 2. scale data (either variance or absolute)

64

Example normalization

Length	Weight	Color	Label	Length	Weight	Color	Label
4	4	0	Apple	4	4	0	Apple
5	5	1	Apple	5	5	1	Apple
7	6	1	Banana	70	60	1	Banana
4	3	0	Apple	4	3	0	Apple
6	7	1	Banana	6	7	1	Banana
5	8	1	Banana	5	8	1	Banana
5	6	1	Apple	5	6	1	Apple


Any problem with this?
Solutions?

65

Example length normalization

Make all examples roughly the same scale, e.g. make all have length = 1

What is the length of this example/vector?




66

Example length normalization

Make all examples roughly the same scale, e.g. make all have length = 1

What is the length of this example/vector?




$$\text{length}(x) = \|x\| = \sqrt{x_1^2 + x_2^2}$$

67

Example length normalization

Make all examples roughly the same scale, e.g. make all have length = 1

What is the length of this example/vector?



$$\text{length}(x) = \|x\| = \sqrt{x_1^2 + x_2^2 + \dots + x_n^2}$$

68

Example length normalization

Make all examples have length = 1

Divide each feature value by $\|x\|$

- Prevents a single example from being too impactful
- Equivalent to projecting each example onto a unit sphere

$$\text{length}(x) = \|x\| = \sqrt{x_1^2 + x_2^2 + \dots + x_n^2}$$

69

So far...

1. Throw out outlier examples
2. Remove noisy features
3. Pick "good" features
4. Normalize feature values
 1. center data
 2. scale data (either variance or absolute)
5. Normalize example length
6. **Finally, train your model!**

70