

Advanced Algorithms

January 22, 2026

Questions about the Exercise Set?

- Asymptotics, graphs and NP-hardness.
- I have office hours after this
- Submit next Tuesday **in class**
 - latex or handwritten

Logistics

- <http://www.cs.pomona.edu/classes/cs181aa/>

Office hours:

Monday 10:30 – 11:30am

Thursdays 2:40 – 4:00pm

By appointment

If I'm in my office, feel free to knock.

Mentor Sessions:

- Cole: Monday 8-10pm
- Kartika: Wednesday 6-8pm

CS 181: Advanced Algorithms - Spring 2026

[Home](#) [Syllabus](#) [Schedule](#) [Assignments](#) [Resources](#)

Announcements

- Welcome to CS 181: Advanced Algorithms! Read the [syllabus](#) and check the [schedule](#).

Syllabus

Logistics: The instructor for this course is me, [Professor Zlatin](#). We meet on Tuesdays and Thursdays from 1:15 - 2:30pm in Estella 1249. My office hours are on Mondays from 10:30 - 11:30am, Thursdays 2:40 - 4:00pm, and by appointment in Edmunds 223. I am happy to talk about the class, CS theory or whatever is on your mind. The best way to reach me is by [email](#). There will also be a course Slack channel.

Course Description: Did you enjoy your first algorithms course and want to go deeper? Then this course is for you! We will cover a range of topics which have become fundamental tools in the design of modern algorithms. We begin by studying widely applicable network optimization problems. We will then go beyond the realm of exact algorithms and learn how to approach problems which are known to be intractable, or for which we only have partial information. The class will culminate in a course project.

Slack

- You should be in it
- If not, come see me or email me



Thank you for filling out the course survey!



Stable Matchings

Matching med-school students to hospitals

- **Goal.** Given a set of ranked preferences among hospitals and students, design a **self-reinforcing** admissions process.
- **Unstable pair.** Hospital h and student s form an **unstable pair** if both:
 - h prefers s to one of its admitted students.
 - s prefers h to assigned hospital.
- **Stable assignment.** Assignment with **no unstable pairs**.
 - Self-interest prevents any hospital–student side deal.

Stable matching problem: the input

Input: A set of n hospitals H and a set of n students S .

- Each hospital $h \in H$ ranks students.
- Each student $s \in S$ ranks hospitals.

one student per hospital (for now)

hospitals' preference lists				students' preference lists				
	favorite		least favorite		favorite		least favorite	
	1 st	2 nd	3 rd		1 st	2 nd	3 rd	
Atlanta	Xavier	Yolanda	Zeus		Xavier	Boston	Atlanta	Chicago
Boston	Yolanda	Xavier	Zeus		Yolanda	Atlanta	Boston	Chicago
Chicago	Xavier	Yolanda	Zeus		Zeus	Atlanta	Boston	Chicago

Perfect Matchings

Definition: A matching M is a set of pairs (h, s) with $h \in H$ and $s \in S$ such that:

- Each hospital $h \in H$ appears in at most one pair of M .
- Each student $s \in S$ appears in at most one pair of M .

Definition: A matching M is perfect if $|M| = |H| = |S| = n$.

	1 st	2 nd	3 rd		1 st	2 nd	3 rd	
Atlanta	Xavier	Yolanda	Zeus		Xavier	Boston	Atlanta	Chicago
Boston	Yolanda	Xavier	Zeus		Yolanda	Atlanta	Boston	Chicago
Chicago	Xavier	Yolanda	Zeus		Zeus	Atlanta	Boston	Chicago

a perfect matching $M = \{ A-Z, B-Y, C-X \}$

Instability in matchings

Def. Given perfect matching M , hospital h and student s are an **unstable pair** if:

- h prefers s to matched student.
- s prefers h to matched hospital

Key point. An unstable pair $h - s$ could each improve by joint action.

	1 st	2 nd	3 rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3 rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

A-Y is an unstable pair for matching $M = \{ A-Z, B-Y, C-X \}$

Stable matching problem

Questions?

Def. A stable matching is a perfect matching with no unstable pairs.

Stable matching problem. Given the preference lists of n hospitals and n students, find a stable matching (if one exists).

	1 st	2 nd	3 rd
Atlanta	Xavier	Yolanda	Zeus
Boston	Yolanda	Xavier	Zeus
Chicago	Xavier	Yolanda	Zeus

	1 st	2 nd	3 rd
Xavier	Boston	Atlanta	Chicago
Yolanda	Atlanta	Boston	Chicago
Zeus	Atlanta	Boston	Chicago

a stable matching $M = \{ A-X, B-Y, C-Z \}$

Pop Quiz

Which pair is unstable in the matching { A–X, B–Z, C–Y } ?

1. A–Y.
2. B–X.
3. B–Z.
4. None of the above.

	1 st	2 nd	3 rd		1 st	2 nd	3 rd	
Atlanta	Xavier	Yolanda	Zeus		Xavier	Boston	Atlanta	Chicago
Boston	Yolanda	Xavier	Zeus		Yolanda	Atlanta	Boston	Chicago
Chicago	Xavier	Yolanda	Zeus		Zeus	Atlanta	Boston	Chicago

Pop Quiz

Notice, an unstable pair is *not currently matched*

Which pair is unstable in the matching { A–X, B–Z, C–Y } ?

1. A–Y.
2. B–X.
3. B–Z.
4. None of the above.

	1 st	2 nd	3 rd		1 st	2 nd	3 rd	
Atlanta	Xavier	Yolanda	Zeus		Xavier	Boston	Atlanta	Chicago
Boston	Yolanda	Xavier	Zeus		Yolanda	Atlanta	Boston	Chicago
Chicago	Xavier	Yolanda	Zeus		Zeus	Atlanta	Boston	Chicago

Stable roommates

Problem: Do stable matchings always exist?

Answer: Not so obvious . . .

Stable roommate problem:

- $2n$ people; each person ranks others from 1 to $2n - 1$.
- Assign roommate pairs so that no **unstable pairs** exist.

Stable roommates

Question: Do stable roommates always exist?

	1 st	2 nd	3 rd
A	B	C	D
B	C	A	D
C	A	B	D
D	A	B	C

no perfect matching is stable

$A-B, C-D \Rightarrow B-C \text{ unstable}$

$A-C, B-D \Rightarrow A-B \text{ unstable}$

$A-D, B-C \Rightarrow A-C \text{ unstable}$

- Observation: Stable roommates **need not exist**

Theorem

Stable matching problem: Given n hospitals and n students, and their preference lists, find a stable matching if one exists

Theorem [Gale-Shapley 1962]: A stable matching always exists, and it can be computed in $O(n^2)$ time.

COLLEGE ADMISSIONS AND THE STABILITY OF MARRIAGE

D. GALE* AND L. S. SHAPLEY, Brown University and the RAND Corporation

1. Introduction. The problem with which we shall be concerned relates to the following typical situation: A college is considering a set of n applicants of which it can admit a quota of only q . Having evaluated their qualifications, the admissions office must decide which ones to admit. The procedure of offering admission only to the q best-qualified applicants will not generally be satisfactory, for it cannot be assumed that all who are offered admission will accept. Accordingly, in order for a college to receive q acceptances, it will generally have to offer to admit more than q applicants. The problem of determining how many and which ones to admit requires some rather involved guesswork. It may not be known (a) whether a given applicant has also applied elsewhere; if this is known it may not be known (b) how he ranks the colleges to which he has applied; even if this is known it will not be known (c) which of the other colleges will offer to admit him. A result of all this uncertainty is that colleges can expect only that the entering class will come reasonably close in numbers to the desired quota, and be reasonably close to the attainable optimum in quality.

Activity

1. I will divide you into students and hospitals
2. Consider the preferences on your sheet
3. I will set a timer – try to find a match

Goal: pair with someone as high as you can on your preference list

Gale-Shapley Algorithm

1. Each student proposes a match to their highest ranked hospital.
2. Each hospital **tentatively** accepts their most preferred student who proposed to them.
3. Unmatched students apply to the **next highest** ranked hospital in their list.
4. Again, each hospital **tentatively** matches with their most preferred student who has proposed
5. Repeat until everyone is matched.

Observations

1. **Monotonicity for hospitals:** A hospital's tentative match can only get **better** over time.
2. **No re-proposals:** Student never return to a hospital they've already proposed to.
3. **Runtime:** Point number 2 implies that the process ends after at most _____ proposals.

Is this a stable matching?

- Take any student s and hospital h who are not matched to each other.
- We want to argue that they don't prefer one another to their partners

Key question: did s ever propose to h ?

- If not, then s must have been matched earlier in their preference list.
- If so, then h must have either rejected s , or later found someone better to replace s .

Either case, not an unstable pair.

Conclusion

Stable matching problem: Given n hospitals and n students, and their preference lists, find a stable matching if one exists

Theorem [Gale-Shapley 1962]: A stable matching always exists, and it can be computed in $O(n^2)$ time.

COLLEGE ADMISSIONS AND THE STABILITY OF MARRIAGE

D. GALE* AND L. S. SHAPLEY, Brown University and the RAND Corporation

1. Introduction. The problem with which we shall be concerned relates to the following typical situation: A college is considering a set of n applicants of which it can admit a quota of only q . Having evaluated their qualifications, the admissions office must decide which ones to admit. The procedure of offering admission only to the q best-qualified applicants will not generally be satisfactory, for it cannot be assumed that all who are offered admission will accept. Accordingly, in order for a college to receive q acceptances, it will generally have to offer to admit more than q applicants. The problem of determining how many and which ones to admit requires some rather involved guesswork. It may not be known (a) whether a given applicant has also applied elsewhere; if this is known it may not be known (b) how he ranks the colleges to which he has applied; even if this is known it will not be known (c) which of the other colleges will offer to admit him. A result of all this uncertainty is that colleges can expect only that the entering class will come reasonably close in numbers to the desired quota, and be reasonably close to the attainable optimum in quality.

Students vs Hospitals

- What if we switch the roles of hospitals and students?
 - Hospitals propose in each round.
- Does this still always yield a stable matching? Which is preferred?
 - If students propose, the stable matching is **student-optimal**. They get the best hospital possible in any stable matching.
 - If hospitals propose, the stable matching is **hospital-optimal**.



Robust to preference falsification. For whom? Why?

Some extensions

- Extension 1. Some agents declare others as unacceptable.
- Extension 2. Some hospitals have more than one position
- Extension 3. Unequal number of positions and students

student
unwilling to work
in Cleveland

≥ 43K med-school
students, only 31K
positions

Def. Matching M is **unstable** if there is a hospital h and student s such that:

- h and s are acceptable to each other, and
- Either s is unmatched, or s prefers h to assigned hospital; and
- Either h does not have all its places filled, or h prefers s to at least one of its assigned students.

Theorem. There exists a stable matching. Simple adaptation of Gale-Shapley.



This is really used

The Redesign of the Matching Market for American Physicians:
Some Engineering Aspects of Economic Design

By ALVIN E. ROTH AND ELLIOTT PERANSON*

We report on the design of the new clearinghouse adopted by the National Resident Matching Program, which annually fills approximately 20,000 jobs for new physicians. Because the market has complementarities between applicants and between positions, the theory of simple matching markets does not apply directly. However, computational experiments show the theory provides good approximations. Furthermore, the set of stable matchings, and the opportunities for strategic manipulation, are surprisingly small. A new kind of "core convergence" result explains this; that each applicant interviews only a small fraction of available positions is important. We also describe engineering aspects of the design process. (JEL C78, B41, J44)



How Game Theory Helped Improve New York City's High School Application Process

By TRACY TULLIS DEC. 5, 2014



Tuesday was the deadline for eighth graders in New York City to submit applications to secure a spot at one of 426 public high schools. After months of school tours and tests, auditions and interviews, 75,000 students have entrusted their choices to a computer program that will arrange their school assignments for the coming year. The weeks of research and deliberation will be reduced to a fraction of a second of mathematical calculation: In just a couple of hours, all the sorting for the Class of 2019 will be finished.

A Question for Thought

- What if we have a **one-sided** matching market?
- Imagine a collection of n items, where each of n people has preferences over these them. However, the items have no preferences over people.
- Can you think of an algorithm to allocate items to people in a principled way? What properties would we like the allocation to satisfy?