

# Lecture 20: Object-Oriented Programming

---

CS 51P

November 20, 2023


# Review: Types in Python

## Primitive Types

- int
- float
- bool

```
x = 5  
y = 5
```

```
>>> x == y  
True  
>>> x is y  
True
```




## Objects

- list
- dictionary
- Create your own...

```
x = [5]  
y = [5]
```

```
>>> x == y  
True  
>>> x is y  
False
```



# Review: Classes

- Defining a type:
  - how would you describe it? what distinguishes one object of this type from another?
  - what can an object of this type do?
- Example: Classroom type
  - attributes: building, room number, capacity, accessible
  - methods:
    - find out building, room number, capacity
    - change capacity

```
room1 = Classroom("Seaver", "102", 36)
room2 = Classroom("Edmunds", "101", 30)
print(room2)
print(room2.get_capacity())
room2.set_capacity(50)
print(room2.get_capacity())
```

# Review: Classes

```
class Classroom:
    def __init__(self, building, room, capacity):
        self.building = building
        self.room_number = room
        self.capacity = capacity

    def __str__(self):
        return(self.building + self.room_number +
               ", capacity " + str(self.capacity))

    def get_building(self):
        return self.building

    def get_room_number(self):
        return self.room_number

    def set_capacity(self, capacity):
        self.capacity = capacity

    def check_capacity(self, num):
        return num <= self.capacity
```

# Review: Creating and Using Objects

```
room = Classroom("Seaver Commons", 102, 36)
print(room)

print(room.get_capacity())
room.set_capacity(50)
print(room.get_capacity())

enough_space([room, Classroom("Edmunds", "101", 30)], 32)
```

# Exercise

```
class Thing:

    def __init__(self):
        self.a = 1
        self.b = 4

    def foo(self, param):
        self.a = self.a + param
        self.b = self.b + param
        return (self.a + self.b)

    def bar(self, param):
        a = self.a + param
        b = self.b + param
        return (a + b)

    def __str__(self):
        return ('a is ' + str(self.a) +
                ', b is ' + str(self.b))

it = Thing()
print(it.foo(2))
print(it.bar(3))
print(it)
```

# Programming as a way of thinking

- Decomposition
  - what does a problem remind you of
  - how can you reduce it to smaller, coherent pieces
- Abstraction:
  - remove low-level details so you can focus on more important things
- Testing
  - how do you know if something works
- Debugging
  - how to isolate where the problem is
- Communication
  - how to explain what you did

# Design

- Assume you want to simulate the following:
  - there are a group of people
  - every person has a closet full of clothes
  - they each choose clothes on any given day based on the weather and their personal preferences
  - when they all see each other something happens based on what each of them chose



**\*without using classes\*** write a program that behaves like this

Hint: use randint(0,3)

# Design

- Assume you want to simulate the following:
  - there are 2 people
  - each person has a collection of 4 shirts: red, blue, green, yellow
  - every day for 5 days the two people randomly choose a shirt to wear
  - a special message is displayed on any day when both people wear the same color shirt

```
----- Day 1 -----  
Alice has a blue shirt  
Bob has a green shirt  
----- Day 2 -----  
Alice has a red shirt  
Bob has a blue shirt  
----- Day 3 -----  
Alice has a yellow shirt  
Bob has a red shirt  
----- Day 4 -----  
Alice has a red shirt  
Bob has a red shirt  
Alice and Bob are wearing  
the same color shirt!  
----- Day 5 -----  
Alice has a red shirt  
Bob has a blue shirt
```

Defining a class:  
what attributes does it have?  
what can you do with it?

# Design

- Assume you want to simulate the following:
  - there are 2 people
  - each person has a collection of 4 shirts: red, blue, green, yellow
  - every day for 5 days the two people randomly choose a shirt to wear
  - a special message is displayed on any day when both people wear the same color shirt

```
----- Day 1 -----  
Alice has a blue shirt  
Bob has a green shirt  
----- Day 2 -----  
Alice has a red shirt  
Bob has a blue shirt  
----- Day 3 -----  
Alice has a yellow shirt  
Bob has a red shirt  
----- Day 4 -----  
Alice has a red shirt  
Bob has a red shirt  
Alice and Bob are wearing  
the same color shirt!  
----- Day 5 -----  
Alice has a red shirt  
Bob has a blue shirt
```

Defining a class:  
what attributes does it have?  
what can you do with it?

# Exercise

```
class Person:
    SHIRT_COLORS = ("red", "green", "blue", "yellow")

    def __init__(self, person_name):
        pass

    def get_shirt_color(self):
        pass

    def get_name(self):
        pass

    def change_shirt(self):
        pass

    def __str__(self):
        pass
```

# Exercise

- Assume you have a class `Person` with methods `get_name`, `get_shirt_color`, and `change_shirt`. Implement a program that will exhibit the following behavior:

```
----- Day 1 -----  
Alice has a blue shirt  
Bob has a green shirt  
----- Day 2 -----  
Alice has a red shirt  
Bob has a blue shirt  
----- Day 3 -----  
Alice has a yellow shirt  
Bob has a red shirt  
----- Day 4 -----  
Alice has a red shirt  
Bob has a red shirt  
Alice and Bob are wearing the same color shirt!  
----- Day 5 -----  
Alice has a red shirt  
Bob has a blue shirt
```