

# Timing Sorts

Wednesday, September 20, 2017

Lab 3

CSC 062: Fall, 2017

In this lab, we'll be playing with some of the sorting algorithms we've discussed in class. In addition, you'll get some familiarity with the `merge` method of `MergeSort`, which you'll be implementing an on-disk version of for the next assignment.

You may again work in pairs on this lab, but try to choose a partner that you have not worked with before.

Note: this lab assumes you've kept up with the reading for the class! In particular, we'll be looking at Bubble sort, Insertion sort, Selection sort, Quicksort and Mergesort which are all described in Chapter 6 of the Java Structures textbook.

---

## Getting started

---

Create a new project "Lab03" in Eclipse and then go to **Terminal** and copy over all the ".java" the files from `/common/cs/cs062/labs/lab03`.

Note that there are two directories inside of lab03 that you need to copy to your workspace. Be sure to copy both directories (and not just the files in the directories)! To do this type:

```
cp -r /common/cs/cs062/labs/lab03/* ~/Documents/cs062/workspace/Lab03/
```

The flag "-r" tells the copy command to recursively copy all files and directories. The star "\*" is a wildcard symbol that matches "everything". So this command recursively copies everything from the lab03 directory to your Eclipse directory.

After you've copied the code, spend 5 minutes looking at the different classes. In particular,

- Look at the interface `Sorter`.
- Look at how the `Quicksort` and `MergeSort` classes implement the interface
- Look at how the `main` method of the `SortTimer` class is able to print out data for an arbitrary number of `Sorter` classes (this is the benefit of using an interface!).
- Notice that the `SortTimer` class does a check for correctness after sorting. If you make a mistake in implementing your `merge` method, you'll get an error here.

---

## Finish MergeSort

---

You've been given all of the code for this lab except the `merge` method, which you should now implement. Give it a good effort, but if you get stuck, I've provided a solution below. It will benefit you to figure it out in the lab, though, while you have help from me (i.e. without looking) since you will be implementing something similar for your assignment.

Once this is done, you should be able to run the `SortTimer` class.

---

## Play with the timing

---

Notice that we have sent the `printTimes` method twice to the `SortTimer` object. Run the `SortTimer` class. What explains the very different answers obtained in the two runs for small values of size? Does the data obtained from the second run look like you'd expect? Which one is faster?

This should give you some confidence that `Quicksort` average case works as we expect. As an additional test, change the `printTimes` method to generate sorted data instead of random data. For example, have it fill the array with the numbers from 1 to size. How does this change your timing data? Is this what you expected?

---

## Playing with the sorting algorithms

---

In Eclipse, navigate to the `coinSort` package and click on the file `CoinSorter.java`. Now click on the run symbol (the green circle with the white triangle) in the top toolbar.

You will see a window similar to the one for the Silver Dollar Game, except that all the squares are filled, and the coins have different sizes. Use the keystrokes below to shuffle and sort the coins. Experiment with several of the sorting algorithms.

`c`: sort the coins using a randomly-selected algorithm

`i`: sort the coins using insertion sort

`q`: sort the coins using quicksort

`r`: rearrange the coins into a random order

`s`: sort the coins using selection sort

`x`: exit the program

The program you are using has a few additional features. Typing `f` (for “freeze”) stops the sorting; typing `t` (for “thaw”) resumes the sorting. Typing `f` when the sorting is frozen advances the algorithm by one step. You can continue to type `f` to proceed step-by-step, or `t` to resume normal execution.

Typing `c` selects one of the sorting algorithms at random and executes it. Practice with the `c` command to develop your skill in identifying the algorithm from the pattern of comparisons and swaps.

---

## Submission instructions

---

Follow the submission instructions for lab/assignment 1. Remember to fill out the `lab03.json` file (you can rename a previous `.json` file or use the blank one in the `/common/cs/cs062/labs/lab03` folder):

Add your CS username to the “collaborators” list.

Add your partner’s username as well.

If you have anything you want to say to the graders, put that in the “notes” field.

---

## If you still have time...

---

Implement a new class for one of the  $O(n^2)$  running time sorting methods that extends our `Sorter` interface. Add this new class into the `SortTimer` class and compare its runtime to the other sorting methods.

---

## An implementation of merge.

---

Here is one implementation of the merge algorithm. It uses an extra `ArrayList`, and so mergesort does not sort “in place” as our other algorithms do.

```
/**
 * Merge data >= low and < high into sorted data. Data >= low and < mid are in sorted order.
 * Data >= mid and < high are also in sorted order
 *
 * @param data the partially sorted data
 * @param low bottom index of the data to be merged
 * @param mid midpoint of the data to be merged
 * @param high end of the data to be merged (exclusive)
 */
public void merge(ArrayList<E> data, int low, int mid, int high){
    ArrayList<E> temp = new ArrayList<E>(high-low);

    int lowIndex = low;
    int midIndex = mid;
```

```

while( lowIndex < mid &&
      midIndex < high ){
    if( data.get(lowIndex).compareTo(data.get(midIndex)) < 1 ){
        temp.add(data.get(lowIndex));
        lowIndex++;
    }else{
        temp.add(data.get(midIndex));
        midIndex++;
    }
}

// copy over the remaining data on the low to mid side if there
// is some remaining.
while( lowIndex < mid ){
    temp.add(data.get(lowIndex));
    lowIndex++;
}

// copy over the remaining data on the mid to high side if there
// is some remaining. Only one of these two while loops should
// actually execute
while( midIndex < high ){
    temp.add(data.get(midIndex));
    midIndex++;
}

// copy the data back from temp to list
for( int i = 0; i < temp.size(); i++ ){
    data.set(i+low, temp.get(i));
}
}

```