

CS62 • Misc Java

Things that are boring to teach and better as reference materials

Table of contents

- Operators
- Control flow
- I/O streams
- Exceptions
- Misc
- Bonus review problems

Operators

Operator precedence

Operators	Precedence	Higher on the table = evaluated earlier
postfix	expr++ expr--	
unary	++expr --expr +expr -expr !expr	
multiplicative	* / %	
additive	+ -	
relational	< > <= >=	
logical AND	&&	
logical OR		
ternary	? :	
assignment	= += -= *= /= %=	

Unary Operators

- Unary operators require only one operand.

Operator	Description	Example	
+	Unary plus operator; indicates positive value (not necessary to have)	int x = +1;	1
-	Unary minus operator; negates an expression	x = -x;	-1
++	Increment operator; increments a value by 1	++x;	0
--	Decrement operator; decrements a value by 1	-x;	-1
!	Logical complement operator; inverts the value of a boolean	boolean success = false; !success;	true

Pre vs post-fix operators

- The increment/decrement operators can be applied before (prefix) or after (postfix) the operand.
- The code `result++;` and `++result;` will both end in `result` being incremented by one. The only difference is that the prefix version (i.e. `++result`) evaluates to the incremented value, whereas the postfix version (i.e. `result++`) evaluates to the original value.
- If you are just performing a simple increment/decrement, it doesn't really matter which version you choose. But if you use this operator in part of a larger expression, the one that you choose may make a significant difference.

Pre vs post-fix operators example

```
int i = 3;  
i++;  
System.out.println(i); // prints i (4)  
++i;  
System.out.println(i); // prints i (5)  
System.out.println(++i); // first increments to 6 then  
prints it (6)  
System.out.println(i++); // first prints i (6) then  
increments i to 7  
System.out.println(i); // prints i (7)
```

Conditional operators

- The `&&` and `||` operators perform Conditional-AND and Conditional-OR operations on two boolean expressions. Remember your truth tables!

<code>exp1</code>	<code>exp2</code>	<code>exp1 && exp2</code>	<code>exp1 exp2</code>
true	true	true	true
true	false	false	true
false	true	false	true
false	false	false	false

Even more control flow

do-while loop

- Variant of while loop that will execute the block of code in the do code block once, before it checks if the condition is true. It will then proceed as usual.
- Basic syntax:

```
do {  
    // code block to be executed  
} while(condition);
```

- Make sure your condition terminates otherwise you will enter an infinite loop.

do-while loop example

```
int j = 3;  
do {  
    System.out.println("This is the best semester ever");  
    j++;  
}  
while(j>5);
```

- Will print

This is the best semester ever

even though the condition never got satisfied

break

- Exits completely out of a `for`, `while`/do-while loop.

break example

```
for (int l = 0; l < 10; l++) {  
  
    if (l == 4) {  
  
        System.out.println("I am out of here");  
  
        break;  
    }  
  
    System.out.println(l);  
  
}
```

- Will print
 - 0
 - 1
 - 2
 - 3
 - I am out of here

continue

- Will skip the current iteration of a for, while/do-while loop.

continue example

```
for (int x = 0; x < 5; x++) {  
  
    if (x == 3) {  
  
        System.out.println("I am skipping this step");  
  
        continue;  
  
    }  
  
    System.out.println(x);  
  
}
```

- Will print:
0
1
2
I am skipping this step
4

switch statement

- Use instead of writing many if-else statements.
- Evaluate expression and compare it with the values of each case
- Works with byte, short, char, int, and String.
- Basic syntax:

```
switch(expression) {  
    case x:  
        // code block  
        break;  
  
    case y:  
        // code block  
        break;  
  
    default:  
        // code block  
}
```

switch example

```
int finger = 4;
switch (finger) {
    case 1:
        System.out.println("thumb");
        break;
    case 2:
        System.out.println("index");
        break;
    case 3:
        System.out.println("middle");
        break;
    case 4:
        System.out.println("ring");
        break;
    case 5:
        System.out.println("pinky");
        break;
    default:
        System.out.println("Not a valid number");
}
```

break and default

- When Java reaches a break keyword, it breaks out of the switch block and does not execute the rest of the code.
 - You need to add a break statement otherwise you will go through all the remaining cases!
- The default keyword specifies what code to run if there is no case match.

What would happen if we didn't include break?

```
int finger = 2;  
switch (finger) {  
    case 1:  
        System.out.println("thumb");  
    case 2:  
        System.out.println("index");  
    case 3:  
        System.out.println("middle");  
    case 4:  
        System.out.println("ring");  
    case 5:  
        System.out.println("pinky");  
    default:  
        System.out.println("Not a valid number");  
}
```

It will print:
index
middle
ring
pinky
Not a valid number

Ternary operator

- ?: A conditional operator that is a shorthand for the `if-else` statement.
- Basic syntax:

```
variable = expression1 ? expression2: expression3
```

- Equivalent to:

```
if (expression1) {  
    variable = expression2;  
}  
  
else {  
    variable = expression3;  
}
```

Ternary operator example

```
int n1 = 32;  
  
int n2 = 47;  
  
int max;  
  
// Largest among n1 and n2  
max = (n1 > n2) ? n1 : n2;  
  
// Print the largest number  
System.out.println("Maximum is = " + max);
```

I/O Streams

I/O streams

In Python, it was open(...)
read()... write()...

- ▶ **Input stream**: a stream from which a program reads its input data
- ▶ **Output stream**: a stream to which a program writes its output data
- ▶ **Error stream**: output stream used to output error messages or diagnostics
- ▶ Stream sources and destinations include disk files, keyboard, peripherals, memory arrays, other programs, etc.
- ▶ Data stored in variables, objects and data structures are temporary and lost when the program terminates. Streams allow us to save them in files, e.g., on disk or flash drive or even a CD (!)
- ▶ Streams can support different kinds of data: bytes, characters, objects, etc.

Files

- Every file is placed in a directory in the file system.
- **Absolute file name**: the file name with its complete path and drive letter. E.g.,
 - On Windows: C:\jli\somefile.txt
 - On Mac/Unix: ~/jli/somefile.txt
- **CAUTION: DIRECTORY SEPARATOR IN WINDOWS IS \, WHICH IS A SPECIAL CHARACTER IN JAVA. SHOULD BE "\\\" INSTEAD.**
- File class: contains methods for obtaining file properties, renaming, and deleting files. Not for reading/writing!

Writing data to a text file

- `PrintWriter output = new PrintWriter(new File("filename"));`
- If the file already exists, it will overwrite it. Otherwise, new file will be created.
- Invoking the constructor may throw an `IOException` so we will need to follow the catch or specify rule.
- `output.print` and `output.println` work with `Strings`, and `primitives`.
- Always close a stream!

Writing data to a text file

```
import java.io.File;           need to import relevant classes
import java.io.IOException;
import java.io.PrintWriter;

public class WriteData {
    public static void main(String[] args) {

        PrintWriter output = null;
        try {
            output = new PrintWriter(new File("addresses.txt"));
            // Write formatted output to the file
            output.print("Alexandra Papoutsaki ");
            output.println(222);           call .print or .println to write to file
            output.print("Jingyi Li ");
            output.println(111);

        } catch (IOException e) {
            System.err.println(e.getMessage());   catch IOException for any errors
        } finally {
            if (output != null)
                output.close();           .close() the I/O stream
        }
    }
}
```

Reading data

- `java.util.Scanner` reads Strings and primitives and breaks input into tokens, denoted by whitespaces.
- To read from keyboard: `Scanner inputStream = new Scanner(System.in);`
 - `String input = inputStream.nextLine();`
 - `input` is a String. If you want to convert it into a number, you will need to use the [wrapper class](#) of the primitive you want, e.g., `Integer.parseInt(input)`
- To read from file: `Scanner inputStream = new Scanner(new File("filename"));`
- Need to close stream as before.
- `inputStream.hasNext()` tells us if there are more tokens in the stream.
`inputStream.next()` returns one token at a time.
 - Variations of `next` are `nextLine()`, `nextByte()`, `nextShort()`, etc.

Reading data from a text file

```
import java.io.File;
import java.io.IOException;
import java.util.Scanner;

public class ReadData {
    public static void main(String[] args) {

        Scanner input = null;           same try...catch...finally structure
        // Create a Scanner for the file
        try {
            input = new Scanner(new File("addresses.txt")); use Scanner class

            // Read data from a file use a while loop to check if file still has lines
            while (input.hasNext()) {
                String firstName = input.next(); .next() is space separated (if you want the
                String lastName = input.next(); whole line, call .nextLine())
                int room = input.nextInt();
                System.out.println(firstName + " " + lastName + " " + room);
            }
        } catch (IOException e) {
            System.err.println(e.getMessage());
        } finally {
            if (input != null)
                input.close(); close the file
        }
    }
}
```

Full example/reference:

[https://github.com/pomonacs622025sp/code/
blob/main/Lecture3/FileIOExample.java](https://github.com/pomonacs622025sp/code/blob/main/Lecture3/FileIOExample.java)

Reading data with a buffered reader

- import java.io.FileReader;

- import java.io.BufferedReader;

```
FileReader fr = new FileReader("fileToRead.txt");
```

```
BufferedReader br = new BufferedReader(fr);
```

a BufferedReader object takes a FileReader object as input.

```
String line = br.readLine();
```

```
while ((line!= null) {
```

```
    //do something
```

```
    line = br.readLine();
```

the .readLine() method will return null when the file has no more lines to read, so we can write a while loop

```
}
```

You'll see this in HW3: Darwin

Exceptions

Exceptions are exceptional or unwanted events

- They are operations that disrupt the normal flow of the program. E.g.,
 - wrong input, divide a number by zero, run out of memory, ask for a file that does not exist, etc. E.g.,

```
int[] myNumbers = {1, 2, 3};  
  
System.out.println(myNumbers[10]); // error!
```

- Will print something like

```
Exception in thread "main"  
java.lang.ArrayIndexOutOfBoundsException: 10
```

and terminate the program.

Exception terminology

- When an error occurs within a method, the method **throws** an **exception object** that contains its name, type, and state of program.
- The runtime system looks for something to handle the exception among the **call stack**, the list of methods called (in reverse order) by **main** to reach the error.
- The exception handler **catches** the exception. If no appropriate handler, the program terminates.

Three major types of exception classes

- Checked Exceptions: Should follow the *Catch or Specify* requirement.
 - errors caused by program and external circumstances and caught during compile time. E.g.,
 - `java.io.FileReader`
- Unchecked Exceptions: Do NOT follow the *Catch or Specify* requirement and are caught during runtime.
 - `Error`: the application cannot recover from. E.g.,
 - `java.lang.StackOverflowError` (for stack)
 - `java.lang.OutOfMemoryError` (for heap)
- `RuntimeException`: internal programming errors that can occur in any Java method and are unexpected. E.g.,
 - `java.lang.IndexOutOfBoundsException`
 - `java.lang.NullPointerException`
 - `java.lang.ArithmeticException`

Useful exceptions to know

- Checked - you have to catch or specify they throw an exception
 - `IOException`: when using file I/O stream operations.
- Unchecked - you don't have to catch/specify them, but it can still be a good idea to do so.
 - `ArrayIndexOutOfBoundsException`: when you try to access an array with an invalid index value
 - `ArithmaticException`: when you perform an incorrect arithmetic operation. For example, if you divide any number by zero.
 - `IllegalArgumentException`: when an inappropriate or incorrect argument is passed to a method.
 - `NullPointerException`: when you try to access an object with the help of a reference variable whose current value is `null`.
 - `NumberFormatException`: when you pass a string to a method that cannot convert it to a number. e.g., `Integer.parseInt("hello")`

The Catch or Specify requirement

- Code that might throw checked exceptions must be enclosed either by

- a try-catch statement that catches the exception,

```
try {  
    //one or more legal lines of code that could throw an  
    exception  
} catch (TypeOfException e) {  
    System.err.println(e.getMessage());  
}
```

- or have the method specify that it can throw the exception. The method must provide a throws clause that lists the exception.

```
method() throws Exception{  
    if(some error) {  
        throw new Exception();  
    }  
}
```

Catching exceptions

```
method() {
    try {
        statements; //statements that could throw exception
    } catch (Exception1 e1) {
        //handle e1;
    }
    catch (Exception2 e2) {
        //handle e2;
    }
}
```

- If no exception is thrown, then the catch blocks are skipped.
- If an exception is thrown, the execution of the try block ends at the responsible statement.
- The order of catch blocks is important. A compile error will result if a catch block for a more general type of error appears before a more specific one, e.g., **Exception should be after ArithmeticException**.

finally block

- Used when you want to execute some code regardless of whether an exception occurs or is caught

```
method() {  
    try {  
        statements; //statements that could throw exception  
    } catch (Exception1 e) {  
        //handle e; catch is optional.  
    }  
    finally {  
        //statements that are executed no matter what;  
    }  
}
```

- The finally block will execute no matter what. Even after a return.**

Misc review

The simple assignment operator

- One of the most common operators that we've already encountered is the simple assignment operator "="; it assigns the value on its right to the operand on its left. For example:
 - `int age = 19;`
 - `int year = 2024;`

Arithmetic operators

- Java arithmetic operators support addition, subtraction, multiplication, division, and remainder/modulo.

Operator	Description
+	Additive operator (also used for String concatenation)
-	Subtraction operator
*	Multiplication operator
/	Division operator
%	Remainder operator

Other assignment operators

- The assignment operators `+=`, `-=`, `*=`, `/=`, and `%=` are a compound of arithmetic and assignment operators.
- They operate by adding/subtracting/multiplying/dividing/taking the remainder of the current value of the variable on the left to the value on the right and then assigning the result to the operand on the left.
E.g.,
- `num1 += num2;` means `num1 = num1 + num2;`

Equality and relational operators

- Determine if one operand is greater than, less than, equal to, or not equal to another operand

Operator	Description
<code>==</code>	equal to
<code>!=</code>	not equal to
<code>></code>	greater than
<code>>=</code>	greater than or equal to
<code><</code>	less than
<code><=</code>	less than or equal to

Practice problems

Practice problems

Assume you are given the following Java code. What would be printed on your screen?

```
int result = 1 + 2;  
System.out.println("1 + 2 = " + result);  
int original_result = result;
```

```
result = result - 1;  
System.out.println(original_result + " - 1 = " + result);  
original_result = result;
```

```
result = result * 2;  
System.out.println(original_result + " * 2 = " + result);  
original_result = result;
```

```
result = result / 2;  
System.out.println(original_result + " / 2 = " + result);  
original_result = result;
```

Answer

$$1 + 2 = 3$$

$$3 - 1 = 2$$

$$2 * 2 = 4$$

$$4 / 2 = 2$$

$$2 + 8 = 10$$

$$10 \% 7 = 3$$

Worksheet time!

1. Consider the following code:

```
int i = 10;  
int n = i++%5;
```

- a. What are the values of i and n after the code is executed?
- b. What are the final values of i and n if instead of using the postfix increment operator (i++), you use the prefix version (++i)? That is, the code was:

```
int i = 10;  
int n = ++i%5;
```

Worksheet answers

- a. i is 11, n is 0 (since `i++` evaluates first, then increments i)
- b. i is 11, n is 1 (since `++i` increments i before evaluation)

Worksheet time!

- What does this print?

```
int n1 = 10;
```

```
int n2 = 47;
```

```
int n3 = 4;
```

```
System.out.println((n1%n3>n2%n3) ? (n1+n2):(n1-n2));
```

Worksheet answers

- $(n1 \% n3 > n2 \% n3) ? (n1 + n2) : (n1 - n2)$
- $10 \% 4 = 2$, $47 \% 4 = 3$. $2 > 3$ is false, so we evaluate $n1 - n2$, or $10 - 47$, so it prints **-37**.

Worksheet time!

- Declare and initialize an array of strings with all the classes you are taking this semester.
 - Remember the word `class` is a reserved word, you cannot use it to name your variables.
- Write a for loop that loops through each class
- If a class is called “CS62” you need to print “CS62: This is the best class ever, no need to see more” and break the for loop.
 - We will use the `equals` method to compare equality among Strings.
 - e.g., `someString.equals(someOtherString)`
- Otherwise, if a class is called “CS101”, you need to print “CS101: New CS achievement unlocked” and continue to the next iteration.
- Otherwise, print the name of the class.

Worksheet answers

- You could have also used a regular for loop instead of a for-each loop.

```
String[] classes = {"PHYS32", "CS101", "ANTH51", "CS62", "IMAG2"};  
for(String myClass:classes){  
    if(myClass.equals("CS62")){  
        System.out.println("CS62: This is the best class ever, no need to see more");  
        break;  
    }  
    else if(myClass.equals("CS101")){  
        System.out.println("CS101: New CS achievement unlocked");  
        continue;  
    }  
    System.out.println(myClass);  
}
```

do you need the continue statement?