Automated Inference on Criminality using Face Images

Xiaolin Wu Shanghai Jiao Tong University

xwu510@gmail.com

Xi Zhang Shanghai Jiao Tong University

zhangxi_19930818@sjtu.edu.cn

Abstract

We study, for the first time, automated inference on criminality based solely on still face images. Via supervised machine learning, we build four classifiers (logistic regression, KNN, SVM, CNN) using facial images of 1856 real persons controlled for race, gender, age and facial expressions, nearly half of whom were convicted criminals, for discriminating between criminals and non-criminals. All four classifiers perform consistently well and produce evidence for the validity of automated face-induced inference on criminality, despite the historical controversy surrounding the topic. Also, we find some discriminating structural features for predicting criminality, such as lip curvature, eye inner corner distance, and the so-called nose-mouth angle. Above all, the most important discovery of this research is that criminal and non-criminal face images populate two quite distinctive manifolds. The variation among criminal faces is significantly greater than that of the non-criminal faces. The two manifolds consisting of criminal and non-criminal faces appear to be concentric, with the non-criminal manifold lying in the kernel with a smaller span, exhibiting a law of normality for faces of non-criminals. In other words, the faces of general law-biding public have a greater degree of resemblance compared with the faces of criminals, or criminals have a higher degree of dissimilarity in facial appearance than normal people.

1. Introduction

Motivated by many commercial applications of artificial intelligence and man-machine interfaces, the research communities of pattern recognition and computer vision have devoted a great deal of efforts to the recognition and manipulation of human faces [10, 24, 33, 28], and achieved measured successes. But very little research has been done on analyzing and quantifying social perception and attributes of faces [26], although this subject is of great importance to many academic disciplines, such as social psychology, management science, criminology, etc.

In all cultures and all periods of recorded human history,

people share the belief that the face alone suffices to reveal innate traits of a person. Aristotle in his famous work Prior Analytics asserted, "It is possible to infer character from features, if it is granted that the body and the soul are changed together by the natural affections". Psychologists have known, for as long as a millennium, the human tendency of inferring innate traits and social attributes (e.g., the trustworthiness, dominance) of a person from his/her facial appearance, and a robust consensus of individuals' inferences. These are the facts found through numerous studies [2, 32, 4, 5, 9, 20, 21, 27, 25].

Independent of the validity of pedestrian belief in the (pseudo)science of physiognomy, a tantalizing question naturally arises: what facial features influence average Joe's impulsive and yet consensual judgments on social attributes of a non-acquaintance member of their own specie? Attempting to answer the question, Todorov and Oosterhof proposed a data-driven statistical modeling method to find visual determinants of social attributes by asking human subjects to score four percepts: dominance, attractiveness, trustworthiness, and extroversion, based on first impression of static face images [26]. This method can synthesize a representative (average) face image for a set of input face images scored closely on any of the four aforementioned social percepts. The ranking of these synthesized face images by subjective scores (e.g., from least to most trustworthy looking) apparently agrees with the intuition of most people.

Following the consensus in social perception from facial appearance, arrives the next even bigger speculation: is there any diagnostic merit of the face-induced inferences on an individual's social attributes? In this paper we intend not to nor are we qualified to discuss or debate on societal stereotypes, rather we want to satisfy our curiosity in the accuracy of fully automated inference on criminality. Adopting an approach of supervised machine learning, we build four classifiers (logistic regression, KNN, SVM, CNN) using facial images of 1856 real persons, half of whom were convicted criminals, and evaluate the performances of these learnt classifiers. The work presented by this paper is the first of its kind to our best knowledge. As modern machine

learning algorithms can match and exceed human's performance in face recognition, it seems irresistible to pursue automated inference on criminality. Just like face recognition, first impressions from faces are raw, spontaneous assessments that are a result of perceiving rather than reasoning. Even 3-to-4-year-olds reach a degree of agreement with adults in faced-induced judgment of social attributes [12]. Therefore, we believe that social perception of faces should be both a worthy and challenging topic for computer vision and machine learning.

For validating the hypothesis on the correlations between the innate traits and social behaviors of a person and the physical characteristics of that person's face, it would be hard pushed to find a more convincing experiment than examining the success rates of discriminating between criminals and non-criminals with modern automatic classifiers. These two populations should be among the easiest to differentiate, if social attributes and facial features are correlated, because being a criminal requires a host of abnormal (outlier) personal traits. If the classification rate turns out low, then the validity of face-induced social inference can be safely negated.

In contrast to a large body of research literature on the prevalence and consequences of appearance-induced inference on personal traits in the field of psychology, relatively little study has been done on the accuracy of character inference based solely on still face images [30]. This is probably due to, aside from the historical controversies surrounding the inquiry and stigmas associated with social Darwinism, the difficulty to neutralize all possible prejudice and preconditioning of human experimenters and subjects when assessing the accuracy of face-induced inference on socially charged matters such as criminality. In this work, we adopt the approach of data-driven machine learning to fully automate the assessment process, and purposefully take any subtle human factors out of the assessment process.

Unlike a human examiner/judge, a computer vision algorithm or classifier has absolutely no subjective baggages, having no emotions, no biases whatsoever due to past experience, race, religion, political doctrine, gender, age, etc., no mental fatigue, no preconditioning of a bad sleep or meal. The automated inference on criminality eliminates the variable of meta-accuracy (the competence of the human judge/examiner) all together. Besides the advantage of objectivity, sophisticated algorithms based on machine learning may discover very delicate and elusive nuances in facial characteristics and structures that correlate to innate personal traits and yet hide below the cognitive threshold of most untrained nonexperts. This is at least a distinct theoretical possibility. Indeed, there are recent reports on computer vision algorithms outperforming humans on face recognition [18].

Despite being the first study of automated inference on

criminality using face images only, our findings and conclusions are highly significant as they are derived not only by more advanced data analysis algorithms but also from more realistic, higher quality data set than in previous similar studies carried out by psychologists who use traditional methods. Our data for the training of the classifiers are standard ID photographs of real persons controlled for race. gender, age, and facial expression. In contrast, other studies used sample face images that were synthetic and generated by either 2D or 3D face models based on eigenfaces [28, 7, 8]. However, it is not clear that the synthetic faces, generated by random perturbing parameters of a mathematical face model as done in [28, 7], truly and fairly represent the population. Only in Valla et al.s study on faceinduced inference on criminality, real face images of male Caucasians were used [30]. But in this study humans not computers performed the classification task.

This paper is structured as follows. In Section 2, we detail the preparations of experiment data and the control of variables to set the subsequent data-driven machine learning methods for inferring criminality on solid ground. In Section 3, we represent our methods for assessing the accuracy of automated face-induced inference on criminality and report our findings, which offer strong evidences pointing to high success rate of automatic classification between criminals and non-criminals based on ID photos. The positive results are cross-validated vigorously. In Section 4, we explore discriminating facial features that contribute to the success of automated face-induced inference on criminality. In Section 5, we try to gain some insight in the underlying mechanism for the separability of criminal and non-criminal faces via cluster analysis on manifolds. It is found that criminal face images and non-criminal face images populate two quite distinctive manifolds. The variation among criminal faces is significantly greater than that of the non-criminal faces. The two manifolds formed respectively by the two data sets of criminal and non-criminal faces are concentric, with the manifold for the non-criminal face images lying in the kernel with a smaller span. This newly discovered knowledge suggests a law of normality for faces of non-criminals: Given the race, gender and age, the faces of general law-biding public have a greater degree of resemblance compared with the faces of criminals. In other words, criminals have a significantly higher degree of dissimilarity in facial appearance than normal population. Section 6 concludes the paper.

2. Data preparation

In order to conduct our experiments and draw conclusions with strict control of variables, we collected 1856 ID photos that satisfy the following criteria: Chinese, male, between ages of 18 and 55, no facial hair, no facial scars or other markings, and denote this data set by *S*. Set *S* is







(a) Three samples in criminal ID photo set S_c .







(b) Three samples in non-criminal ID photo set S_n Figure 1. Sample ID photos in our data set.

divided into two subsets S_n and S_c for non-criminals and criminals, respectively. Subset S_n contains ID photos of 1126 non-criminals that are acquired from Internet using the web spider tool; they are from a wide gamut of professions and social status, including waiters, construction workers, taxi and truck drivers, real estate agents, doctors, lawyers and professors; roughly half of the individuals in subset S_n have university degrees. Subset S_c contains ID photos of 730 criminals, of which 330 are published as wanted suspects by the ministry of public security of China and by the departments of public security for the provinces of Guangdong, Jiangsu, Liaoning, etc.; the others are provided by a city police department in China under a confidentiality agreement. We stress that the criminal face images in S_c are normal ID photos not police mugshots. Out of the 730 criminals 235 committed violent crimes including murder, rape, assault, kidnap and robbery; the remaining 536 are convicted of non-violent crimes, such as theft, fraud, abuse of trust (corruption), forgery and racketeering. Some sample ID photos in S_c and S_n are displayed in Figure 1.

In all selected ID photos, only the region of the face and upper neck is extracted and the background is removed. All the extracted faces are normalized in size and aligned into an 80×80 image. Although all test face images are ID photos acquired with uniform frontal lighting, we still take extra measures to neutralize any possible effects of varied illumination conditions. Only the luminance component of all color face images is used to factor out the spectrum of the lighting and the skin color. Moreover, all resulting grey scale images are normalized to have the same intensity distribution or the same overall tone production. This is done by matching the histogram of every input image to the average histogram for the entire data set of 1856 grey scale face images.

3. Validity of Face Classifiers on Criminality

As argued in the introduction, one way of assessing the accuracy of the automated inference on criminality based solely on still face images is to build and test classifiers with modern machine learning techniques. This section presents the design and results of the classification experiments.

3.1. Methods

In order to prove or disprove the hypothesis that still face images suffice to distinguish criminals and non-criminals, we try to make our investigations as thorough as possible. We run four different classification methods on the image data set S prepared as above. They are K-Nearest Neighbor, Logistic Regression, Support Vector Machine, and the state-of-the-art Convolutional Neural Network.

As the first three classification methods work on image features, we run them and evaluate their performances on a wide range of features, including 1. Facial landmark points like eye corners, mouth corners and tip of the nose, etc.; 2. Facial feature vector generated by modular PCA [15]; 3. Facial feature vector based on Local Binary Pattern (LBP) histograms [1]; 4. The concatenation of the above three feature vectors.

Define the criminal subset S_c as the positive class and the non-criminal subset S_n as the negative class. We perform 10-fold cross validation for all possible combinations of the three feature-driven classifiers and the four types of feature vectors, plus data-driven CNN without explicit feature vector; altogether thirteen cases (3 classifiers \times 4 feature vectors plus CNN) of 10-fold cross validation type. In the interest of statistic significance we repeated the cross validation for each of the thirteen cases ten times with different random seeds. In each of these (13 cases \times 10 runs) 130 experiments, we examine the rate of correctly classifying a member of S into S_n or S_c , and then average the rates of each case over ten runs.

3.2. Results

In Figure 2, we plot the accuracies of all four classifiers in the above thirteen cases. As expected, the state-of-the-art CNN classifier performs the best, achieving 89.51% accuracy. The relatively high accuracy of CNN is also paralleled by all other three classifiers which are only few percentage points behind in the success rate of classification. These highly consistent results are evidences for the validity of automated face-induced inference on criminality, despite the historical controversy surrounding the topic.

To measure the sensitivities of the automatic, datadriven, binary face classifiers for criminality in relation to their false alarm rates, we plot the ROC curves for the four tested classifiers (see Figure 3), and report the corresponding AUC results in Table 1 as well. By these classification performance metrics, the prediction power of the proposed approach of automated face-induced inference on criminality is established.




Figure 2. Accuracy of all four classifiers in all thirteen cases.




Figure 3. The ROC curves of the four tested binary face classifiers on criminality.

Classifiers	CNN	SVM	KNN	LR
AUC	0.9540	0.9303	0.8838	0.8666

Table 1. The AUC results for the four tested face classifiers on criminality.

3.3. Validation

Given the high social sensitivities and repercussions of our topic and skeptics on physiognomy [16], we try to excise maximum caution before publishing our results. In playing devil's advocate, we design and conduct the following experiments to challenge the validity of the tested classifiers for the task of discriminating between criminals and non-criminals. We randomly label the faces in the very same sample set S as negative and positive instances with

equal probability, and redo all the above experiments of binary classification. The outcomes show that the randomly generated negative and positive instances cannot be distinguished at all; the average classification accuracy is found to be only 48%, false negative rate about 51% and false positive rate about 50%. Similar fifty-fifty observations are also made by randomly and equal-probably labeling the members of subset S_c (or S_n) as positive and negative instances, and checking the performances of the four binary classifiers, after they are built upon and applied to the randomly shuffled classes.


In fact, we go much further along the self-critical path, and carry out the same experiments of random labeling on different sample sets of the same size (1500) and with the same variable control. Only this time the selection criteria are: case 1. standard ID photos of Chinese, female, young or middle age, no facial scars or other markings; case 2. standard ID photos of Caucasian, male, young or middle age, no facial markings; case 3. standard ID photos of Caucasian, female, young or middle age, no facial markings. In none of the three cases, any of the four classifiers manages to achieve a true positive rate higher than 53 percent on randomly labeled positive and negative instances.

Also, we have tested whether the classification results are robust against slight variations in lighting environment and face orientation. We recruit 10 male Chinese students and casually take four face photographs for each of them in different environments and feed these photos to the four classifiers built on S_c and S_n . The classification results turn out to be consistent with a probability higher than 83 per cent.

All these experiments rule out that the good accuracies of the four evaluated classifiers in face-induced inference on criminality are due to data overfitting; otherwise, given the same sample size, they would also be able to distinguish between the randomly labeled positive and negative instances with significantly better chances than guessing at random. The big jump of the true positive rate from random labeling to truth labeling of the same set S of sample face images can only be explained by intrinsic separability of S_c and S_n .

4. Discriminating Features

Having obtained the above strong empirical evidences for the validity of automated face-induced inference on criminality, one cannot resist the following intriguing question: what features of a human face betray its owner's propensity for crimes? In fact, the same question has captivated professionals (e.g., psychologists, sociologists, criminologists) and amateurs alike, cross all cultures, and for as long as there are notions of law and crime. Intuitive speculations are abundant both in writing [14, 11] and folklore. In this section, we try to answer the question in the most mechanical and scientific way allowed by the available tools






Figure 4. (a) FGM results; (b) Three discriminative features ρ , d and θ .


and data. The approach is to let a machine learning method explore the data and reveal the most discriminating facial features that tell apart criminals and non-criminals. We apply the Feature Generating Machine (FGM) of Tan *et al.* [22] to the task; it identifies the red-marked regions in Figure 4 (a) as the most critical parts for the separation of criminals and non-criminals. Guided by FGM, we discover that the following three structural measurements in the critical areas around eye corners, mouth and philtrum that have significantly different distributions for the two populations in S_c and S_n : the curvature of upper lip denoted by ρ ; the distance between two eye inner corners denoted by d; and the angle enclosed by rays from the nose tip to the two corners of the mouth denoted by θ . The three discriminating structural features ρ , d and θ are shown in Figure 4 (b).


Let random variables x_c and x_n be any of the above three measurements for criminals and non-criminals. We examine the two histograms $P(x_c)$ and $P(x_n)$ and find they have rather large Hellinger distance [6]. The Hellinger distance between two probability distributions is defined as

$$H(P(x_c), P(x_n)) = \sqrt{1 - \sum_{i} \sqrt{P(x_c(i)) \cdot P(x_n(i))}}$$

Hellinger distance $H(\cdot,\cdot)$ ranges from 0 to 1, where 0 means that two probability distributions are identical and 1 means that probability distributions are different completely. In our case, the Hellinger distances are quite significant, being 0.3208, 0.2971, 0.3855 for ρ , d and θ , respectively.

In Figure 5, we plot the histograms of ρ , d and θ after normalizing every measurement to range [0,1]. The mean and variance of ρ , d and θ for criminals and non-criminals are tabulated in Table 2. One can see in Figure 5 and Table 2 that the angle θ from nose tip to two mouth corners is on average 19.6% smaller for criminals than for non-criminals and has a larger variance. Also, the upper lip curvature ρ is on average 23.4% larger for criminals than for non-criminals. On the other hand, the distance d between two eye inner corners for criminals is slightly shorter








Figure 5. Histograms of the three discriminative features.

	Mean		Variance		
	criminal	non-criminal	criminal	non-criminal	
ρ	0.5809	0.4855	0.0245	0.0187	
d	0.3887	0.4118	0.0202	0.0144	
θ	0.2955	0.3860	0.0185	0.0130	

Table 2. The mean and variance for three normalized discriminative features ρ , d and θ .

(5.6%) than for non-criminals.

5. Face Clustering on Manifolds

Encouraged by the newly found success of machine learning in face-induced inference on criminality and the knowledge of the underlying discriminative features, the next question is logically, what are the typical (average)




Figure 6. (a) and (b) are "average" faces for criminals and non-criminals generated by averaging of eigenface representations; (c) and (d) are "average" faces for criminals and non-criminals generated by averaging of landmark points and image warping.

faces for criminals and non-criminals? Indeed, some researchers embarked on this type of enquiry and published on topics such as the characteristic face of female beauty [19], distinctive faces of certain races [17] and nationalities (e.g., Japanese vs. Koreans vs. Chinese) [31]. Previous authors attempted to find a typical face (i.e., an average of some sort) for a category of people, such as Chinese, beautiful female, criminals, and the alike. But in this section, we argue against the practice of using a single representative face for a social label such as beauty and criminal, even when the labeling is highly consensual.

Although the antithesis of criminals and non-criminals is very strong, quite surprisingly, the average faces of the two populations S_c and S_n appear hardly distinguishable as demonstrated in Figure 6. The displayed average faces are generated either by averaging of landmark points and image warping [13], or by averaging eigenface representations [29] over the sample set. In order to understand and overcome the puzzle of the failure to find an average face of criminals that is sufficiently distinctive from that of non-criminals, we enquire into the high-dimensional distributions of S_c and S_n , and the structural statistical relationships between the two populations in S_c and S_n .

The seeming paradox that S_c and S_n can be classified but the average faces of S_c and S_n appear almost the same can be explained, if the data distributions of S_c and S_n are heavily mingled and yet separable. This thought leads to the suspicion: perhaps, manifolds are good representations for the data clouds of S_c and S_n ; in other words, faces of criminals and non-criminals are assumed to populate two quite distinctive manifolds. Our manifold hypothesis is also promoted by observing that the differences between faces can be modeled as the results of continuous morphing.

To test this hypothesis, we compute the cross-class average manifold distance D_{\times} between two subsets S_c and S_n , and the in-class average manifold distances D_c and D_n for S_c and S_n , and compare them. Let $d(f_i, f_j)$ denote the geodesic distance between two different faces f_i and f_j , which is defined as the length of shortest the path between f_i and f_j in the sparse neighborhood graph [23]. The aforementioned average manifold distances are defined as

$$D_{\times} = \frac{1}{|S_c||S_n|} \sum_{f_i \in S_c, f_j \in S_n} d(f_i, f_j)$$

$$D_c = \frac{2}{|S_c||S_c - 1|} \sum_{f_i, f_j \in S_c; i \neq j} d(f_i, f_j)$$

$$D_n = \frac{2}{|S_n||S_n - 1|} \sum_{f_i, f_j \in S_n; i \neq j} d(f_i, f_j)$$
(2)

The sample sets of the criminal and non-criminal face images reveal that $D_c > D_\times > D_n$. These inequalities of manifold distances and the fact that S_c and S_n have almost the same sample mean vectors suggest the possibility that the two manifolds of S_c and S_n are concentric, with the non-criminal manifold lying in the kernel with a smaller span and the criminal manifold forming an outer layer of large spread.

To verify our intuition, let us visualize the sample distributions of S_c and S_n after a dimensionality reduction processing. We adopt the nonlinear dimensionality reduction method called Isomap [23] to compute a quasi-isometric, low-dimensional embedding of our ultra-high-dimensional data sets. Isomap uses the geodesic distance d(a,b) between two points a and b on a manifold, which is defined to be the sum of edge weights along the shortest path connecting a and b in the sparse neighborhood graph. The largest a eigenvectors of the geodesic distance matrix represent the coordinates in the new a-dimensional Euclidean space.

Figure 7 depicts the relationship of residual variance and Isomap dimensionality; it indicates that the original ultrahigh dimensional data set can be represented reasonably well in a subspace of four to six dimensions. The data clouds of criminals and non-criminals can be visualized in Figure 8, in which the first four most significant dimensions of the Isomap are represented by the x, y, z axis, and the color temperature.

All above analyses and visualization indicate that a subjectively meaningful typical face of criminals, even after controlled for race, gender, nationality and age, simply does not exist. Instead, there should be few mutually distinctive subtypes of criminal faces. In other words, the correct answers lie in data clustering on manifolds. We use the




Figure 7. The relationship of residual variance and Isomap dimensionality.

geodesic K-means clustering [3] to discover these representative subtypes in sample sets S_c and S_n . In the geodesic K-means clustering of S_c , first K faces are randomly chosen as tentative centroids on the manifold of S_c , denoted by g_k , $1 \le k \le K$. Then each face $f_i \in S_c$ is assigned to cluster C_j whose centroid is the closest to f_i in the geodesic distance d,

$$j = \operatorname*{arg\,min}_{1 < k < K} d(f_i, g_k). \tag{3}$$

Next the cluster centroids are updated by the nearest neighbor rule:

$$g_k = \operatorname*{arg\,min}_{f_i \in C_k} \sum_{f_j \in C_k} d(f_i, f_j). \tag{4}$$

The above steps iterate till the cluster centroids converge. For final cluster C_k , $1 \le k \le K$, we compute the representative face of subtype k of criminals, by warping all faces $f_i \in C_k$ so that the landmark points of f_i are aligned with corresponding ones of g_k , and averaging all warped faces.

The same clustering and averaging processes are also carried out on S_n to produce subtype faces for non-criminals.

Figure 9 displays four subtypes of criminal faces in S_c and three subtypes of non-criminal faces in S_n that are synthesized by the above described processes. These computer-generated representative faces for criminals and non-criminals appear to be in agreement with the intuition of 50 Chinese students of both sexes who participated in an informal study. In this experiment, every participant has to make a binary decision on each of these seven synthesized subtype faces and assign score -1 for being more criminal like, or +1 otherwise. The average scores for the four criminal subtype faces are all negative, whereas the average scores for the three non-criminal subtype faces are all positive.

As the K-means clustering is unsupervised, we need to justify why there are four subtypes of criminal faces in S_c




Figure 8. Data clouds ("+" labels criminals and "o" labels non-criminals) in the first four most significant dimensions of the Isomap, viewed in three different perspectives.




Figure 9. (a) The four subtypes of criminal faces; (b) The three subtypes of non-criminal faces.




Figure 10. The relationship of variation within a cluster and number of clusters for criminal and non-criminal data set.

but only three subtypes of non-criminal faces in S_n . Figure 10 depicts how the variation within a cluster decreases in the number of clusters K for both S_c and S_n . The figure clearly illustrates that there are four well separable clusters (distinctive facial appearances) for criminal faces as the incluster variation drops quickly till K=4, while the faces of non-criminals do not form as many separable clusters in geodesic distance on the manifold of S_n .

The above data analysis and visualization allow us to make the following interesting and meaningful conclusion, which holds at least for the class of human subjects being examined here, i.e., male Chinese of young or middle age. Although criminals are a small minority in total population, they have appreciably greater variations in facial appearance than general public. This coincides with the fact that all law-biding citizens share many common social attributes, whereas criminals tend to have very different characteristics and circumstances, some of which are quite unique of the individual's own.

6. Conclusions

We are the first to study automated face-induced inference on criminality. By extensive experiments and vigorous cross validations, we have demonstrated that via supervised machine learning, data-driven face classifiers are able to make reliable inference on criminality. Furthermore, we have discovered that a law of normality for faces of non-criminals. After controlled for race, gender and age, the general law-biding public have facial appearances that vary in a significantly lesser degree than criminals.

References

- [1] T. Ahonen, A. Hadid, and M. Pietikäinen. Face recognition with local binary patterns. In *European conference on computer vision*, pages 469–481. Springer, 2004.
- [2] S. E. Asch. Forming impressions of personality. *The Journal of Abnormal and Social Psychology*, 41(3):258, 1946.
- [3] N. Asgharbeygi and A. Maleki. Geodesic k-means clustering. In *Pattern Recognition*, 2008. ICPR 2008. 19th International Conference on, pages 1–4. IEEE, 2008.
- [4] C. C. Ballew and A. Todorov. Predicting political elections from rapid and unreflective face judgments. *Proceedings of* the National Academy of Sciences, 104(46):17948–17953, 2007.
- [5] M. Bar, M. Neta, and H. Linz. Very first impressions. *Emotion*, 6(2):269, 2006.
- [6] R. Beran. Minimum hellinger distance estimates for parametric models. *The Annals of Statistics*, pages 445–463, 1977.
- [7] V. Blanz and T. Vetter. A morphable model for the synthesis of 3d faces. In *Proceedings of the 26th annual conference on Computer graphics and interactive techniques*, pages 187– 194. ACM Press/Addison-Wesley Publishing Co., 1999.
- [8] V. Blanz and T. Vetter. Face recognition based on fitting a 3d morphable model. *IEEE Transactions on pattern analysis and machine intelligence*, 25(9):1063–1074, 2003.
- [9] P. Borkenau, S. Brecke, C. Möttig, and M. Paelecke. Extraversion is accurately perceived after a 50-ms exposure to a face. *Journal of Research in Personality*, 43(4):703–706, 2009.
- [10] D. M. Burt and D. I. Perrett. Perception of age in adult caucasian male faces: Computer graphic manipulation of shape and colour information. *Proceedings of the Royal Society of London B: Biological Sciences*, 259(1355):137–143, 1995.
- [11] T. Chen (Song Dynasty) and Z. Cheng. General Physiognomy. Shanxi Normal University Press, 2010. (in Chinese) ISBN: 978-7-5613-5065-2.
- [12] E. J. Cogsdill, A. T. Todorov, E. S. Spelke, and M. R. Banaji. Inferring character from faces a developmental study. *Psychological science*, 25(5):1132–1139, 2014.
- [13] G. J. Edwards, C. J. Taylor, and T. F. Cootes. Interpreting face images using active appearance models. In *Automatic Face and Gesture Recognition*, 1998. Proceedings. Third IEEE International Conference on, pages 300–305. IEEE, 1998.

- [14] P. Ekman and W. V. Friesen. *Unmasking the face: A guide to recognizing emotions from facial clues*. Ishk, 2003.
- [15] R. Gottumukkal and V. K. Asari. An improved face recognition technique based on modular pca approach. *Pattern Recognition Letters*, 25(4):429–436, 2004.
- [16] C. L. Hull. Aptitude testing. 1928.
- [17] D. T. Levin. Classifying faces by race: The structure of face categories. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 22(6):1364, 1996.
- [18] C. Lu and X. Tang. Surpassing human-level face verification performance on lfw with gaussianface. arXiv preprint arXiv:1404.3840, 2014.
- [19] D. Perrett. Facial shape and judgements. *Nature*, 368:17, 1994.
- [20] S. Porter, L. England, M. Juodis, L. Ten Brinke, and K. Wilson. Is the face a window to the soul? investigation of the accuracy of intuitive judgments of the trustworthiness of human faces. Canadian Journal of Behavioural Science/Revue canadienne des sciences du comportement, 40(3):171, 2008.
- [21] N. O. Rule, N. Ambady, and R. B. Adams. Personality in perspective: Judgmental consistency across orientations of the face. *Perception*, 38(11):1688–1699, 2009.
- [22] M. Tan, L. Wang, and I. W. Tsang. Learning sparse svm for feature selection on very high dimensional datasets. In *Pro*ceedings of the 27th International Conference on Machine Learning (ICML-10), pages 1047–1054, 2010.
- [23] J. B. Tenenbaum, V. De Silva, and J. C. Langford. A global geometric framework for nonlinear dimensionality reduction. *science*, 290(5500):2319–2323, 2000.
- [24] J. THIES and O. ZOLLH. M., stamminger, m., theobalt, c., and niessner, m. 2016. face2face: Real-time face capture and reenactment of rgb videos. *Proc. Computer Vision and Pattern Recognition (CVPR), IEEE.*
- [25] A. Todorov, V. Loehr, and N. N. Oosterhof. The obligatory nature of holistic processing of faces in social judgments. *Perception*, 39(4):514–532, 2010.
- [26] A. Todorov and N. N. Oosterhof. Modeling social perception of faces [social sciences]. *IEEE Signal Processing Magazine*, 28(2):117–122, 2011.
- [27] A. Todorov, M. Pakrashi, and N. N. Oosterhof. Evaluating faces on trustworthiness after minimal time exposure. *Social Cognition*, 27(6):813–833, 2009.
- [28] M. Turk and A. Pentland. Eigenfaces for recognition. *Journal of cognitive neuroscience*, 3(1):71–86, 1991.
- [29] M. A. Turk and A. P. Pentland. Face recognition using eigenfaces. In Computer Vision and Pattern Recognition, 1991. Proceedings CVPR'91., IEEE Computer Society Conference on, pages 586–591. IEEE, 1991.
- [30] J. M. Valla, S. J. Ceci, and W. M. Williams. The accuracy of inferences about criminality based on facial appearance. *Journal of Social, Evolutionary, and Cultural Psychology*, 5(1):66, 2011.
- [31] Y. Wang, H. Liao, Y. Feng, X. Xu, and J. Luo. Do they all look the same? deciphering chinese, japanese and koreans by fine-grained deep learning. *arXiv preprint arXiv:1610.01854*, 2016.

- [32] J. Willis and A. Todorov. First impressions making up your mind after a 100-ms exposure to a face. *Psychological science*, 17(7):592–598, 2006.
- [33] W. Zhao, A. Krishnaswamy, R. Chellappa, D. L. Swets, and J. Weng. Discriminant analysis of principal components for face recognition. In *Face Recognition*, pages 73–85. Springer, 1998.